



Product Service

EU-Type Examination Certificate

No. P5A 106210 0001 Rev. 00

Parameters:

Construction:	Full Body Harness in different versions; made of 45mm PES webbing with PES multifilament yarn; with rigid waist belt and shoulder paddings and flexible leg loop padding;
Versions:	<ul style="list-style-type: none"> - V-FIT Standard (Version 1): Full Body Harness with 1 sternal attachment point for fall arrest and rescue EN 361/EN 1497 and 1 dorsal attachment point for fall arrest EN 361 - V-FIT Standard (Version 2): Full Body Harness with 1 dorsal attachment point for fall arrest EN 361 - V-FIT Construction (Version 3a): Full Body Harness with 1 sternal attachment point for fall arrest and rescue EN 361/EN 1497 and 1 dorsal attachment point for fall arrest EN 361, 2 side attachment points for work positioning EN 358, 1 optional back attachment point for restraint EN358 - V-FIT Derrick (Version 3b): identical to V-FIT Construction (Version 3a) incl. additional 1 lower front attachment point EN 813 (saddle – only for Derrick) - V-FIT Construction (Version 4a): Full Body Harness with 1 dorsal attachment point for fall arrest EN 361, 2 side attachment points for work positioning EN 358, 1 optional back attachment point for restraint EN358 - V-FIT Derrick (Version 4b): identical to V-FIT Construction (Version 4a) incl. additional 1 lower front attachment point EN 813 (saddle – only for Derrick)
Adjustment:	<ul style="list-style-type: none"> - Version 1: adjustable in chest harness over 2pc. steel slide-block buckles; in both leg loops over 2pc. aluminium click-lock closure buckles - Version 2: adjustable in chest harness over 1pc. aluminium click-lock closure buckle; in both leg loops over 2pc. aluminium click-lock closure buckles - Version 3a+b: adjustable in chest harness over 4pc. steel slide-block buckles; in front waist belt over 1pc. aluminium click-lock closure buckle; in both leg loops over 2pc. aluminium click-lock closure buckles - Version 4a+b: adjustable in chest harness over 1pc. aluminium click-lock closure buckle; in chest harness over 2pc. steel slide-block buckles; in front waist belt over 1pc. aluminium click-lock closure buckle; in both leg loops over 2pc. aluminium click-lock closure buckles - all versions: webbing ends partly folded and sewn or sewn with plastic protection and additional webbing keeper

Page 2 of 6

TÜV SÜD Product Service GmbH is Notified Body according to Regulation (EU) 2016/425 on personal protective equipment with the identification number 0123.

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT

A4 / 07.17

EU-Type Examination Certificate

No. P5A 106210 0001 Rev. 00

V-FIT Standard (Version 1, V-FIT-ENR)



Front side



Back side

V-FIT Standard (Version 2, V-FIT-EN)



Front side



Back side

